

# BRANIF PERU

## Product Catalog '08



castellano  
english

solutions in  
industrial maintenance

**LUBRICANTS**

1.	<b>SPECIAL 8010 GRS-100</b> Dielectric compound formulated for to protect electrical insulators into high and mediun voltage lines. Available: 20 Kg pail
2.	<b>SPECIAL 1904 GRASA CONDUCTORA</b> synthetic lubricant with fine cooper powder that to improve the electrical conductivity and avoid the sizing of electrical splices. Available: 1 Kg jar, 20 Kg pail
3.	<b>SPECIAL 2050 ZEROHM</b> Superior lubricant with 0 Ohms for to protect critical contact and splices exposed to agresive enviroments. Available: 0.5 Kg jar
4.	<b>SPECIAL 8210 TRACK 100</b> Siliconed lubricants for to agresive enviroments, water probe, high load and suport to high temperatures, and no drip. Available: 20 Kg pail
5.	<b>HUSKEY 76733 HVS-100</b> Siliconed grease, multipurpose, USDA H-1 for to use in food plants. No drip, water probe and no odors. Available: 40 pounds pail
6.	<b>CRC 3040 LUBRICANTE DE SILICONA FOOD GRADE</b> Food grade oil with 4% silicone specifically designed incidental food contact. No odor, taste or color. Available: 10 oz aerosol
7.	<b>SPECIAL 00833 MOLYPLEX</b> Grease with molibdeno disulfide for to lubricate in high load and high temperares (up to 232°C). No drip. Available: 35 pounds pail
8.	<b>CRC 85856 DRY MOLY LUBRICANT</b> Dry lubricant based in molibdeno disulfide for to work in dust or dirty enviroments. Available: 12 oz aerosol.
9.	<b>SPECIAL CABLE LUBE</b> Water based gel for to help to cabling into new or occupied duct, minimizing the pulling and protect the jacket and cable. Available: 5 gal pail
10.	<b>HUSKEY 50612 HUSKEY N° 7</b> Sintetical lubricant for to seal valves and to lubricate diesel sistems (gasoline, LPS, Natural gas, clorinated solvents, etc) Available: 1 Kg pail
11.	<b>HUSKEY 50412 HUSKEY N° 4</b> Sintetical lubricants for seal valves and to lubricate pipe sistems very alkalines or acids. Available: 1 Kg pail
12.	<b>SPECIAL 3002 GRASA DINA</b> Multipurpose lubricant for to protect electrical hardware againts rust and corrosion. Available: 1Kg jar, 20 Kg pail

**COOLANTS**

1.	<b>SPECIAL 1440 CUTTING OIL</b> Sintetical coolant for to metal working. Good stability, no irritate, no staining, no rust and ecological. Available: 5 gal pail and 55 gal drum
2.	<b>SPECIAL 1407 COOLANT RG-30</b> Concentrate coolant for radiators, with additives rust inhibitors and antiincrustant. Avoid the overheating and ice system. Available: 1 gal bottle, 5 gal pail and 55 gal drum

**ANTISEIZES**

1.	<b>SPECIAL 20112 2000</b> General purpose antiseize lubricant, copper based, that prevents seizing and galling caused by high temperature, heavy load, vibration and corrosion. (Support up to 1800°F) Available: 1 Kg jar, 20 Kg pail
2.	<b>HUSKEY 56109 FG-1800</b> Antiseize improve with teflon for use in all areas where incidental food contact may occur. (Support up to 1800°F) Available: , 255.1 g jar

**CLEANERS**

1.	<b>AERVOE 8376 LIMPIADOR DE COMPONENTES ELECTRONICOS</b> Dissolves grease, dust, oils and dirt in electronic cards. Quick drying. Leave no residues. Non flammable. Available: 16.0 Oz aerosol.
2.	<b>SPECIAL 8276 LIMPIADOR DE CONTACTOS ELECTRICOS</b> Effectively removes soil, dirt and other contaminants from electrical and electronic components. Qick drying, leaves no residue. Safe on all plastics. Available: 10.9 Oz aerosol.
3.	<b>SPECIAL 1200 LIMPIADOR DE BORNES DE BATERIA</b> Designed to remove corrosion quickly while neutralizing acid spills. Use to restore battery output and reduce voltage leakage. Available: 1 gal jar,
4.	<b>SPECIAL 1602 CARBOWASH</b> Unique product that remove the carbon and dirty generated for the combustion and extreme heat in diesel and electrical motors. Available: 55 gal drum
5.	<b>SPECIAL 1610 ALR</b> Cleaner of radiators that remove rust and incrustation for use hard water and poor quality coolant. Available: 5 gal jar, 55 gal drum
6.	<b>SPECIAL 1601 WASHER</b> Remove the incrustation of pipe systems, avoid lose energy and obstruction. Available: 5 gal jar, 55 gal drum

7.	<b>SPECIAL 1657 R-SILICE</b> Remove the silice and incrustation of pipe systems, avoid lose energy and obstruction. Available: 5 gal jar, 55 gal drum
8.	<b>SPECIAL 1605 NEUTRALIZANTE</b> Recommmed for to avoid residues acids after clean of pipe systems or heat interchanging Available: 5 gal jar, 55 gal drum
9.	<b>SPECIAL 2015 INOX</b> Excelent cleaner fo dirt, fouling and rust of stainless steel. Available: 5 gal jar
10.	<b>SPECIAL 1434 OXILINE</b> Remove rust and corrosion in pieces, componentes and equipments and protect them with rust and corrosion. Available: 5 gal jar
11.	<b>SPECIAL 2005 LIMPIADOR AC</b> Remove the black stains generated for the extreme heat in stainless steel welding. Available: 1 Kg jar

## DEGREASERS

1.	<b>SPECIAL 1443 DESIN B-15</b> Excellent concentrated degreaser for to clean grease, dirt, in tank, equipment, floors, etc. Leaves the superfaces clean and shinning. It diluates with 1:15 parts of water. Available: 5 gal pail, 55 gal drum
2.	<b>SPECIAL 1416 DESIN PM-10</b> Remove greases and hard remove dirt leave a film for to protect against rust and corrosion. For to use with LAVADORA 9001 Available: 5 gal pail, 55 gal drum
3.	<b>SPECIAL 1419 HAND CLEANER CON POMEZ</b> Hand cleaner fortified with pumice for deep cleaning power. Remove grease, oil, paint and other dirt. Can be used with or witout water. Biodegradable. Available: 1 gal bottle, 5 gal pail, 55 gal drum
4.	<b>SPECIAL 0706 JABON LIQUIDO</b> Liquid soap with fresh fragrance for office applications. Available: 1 gal bottle, 5 gal pail, 55 gal drum
5.	<b>SPECIAL LAVADORA</b> save time in wash and dry components and pieces and save money make a good use of degreaser. Available: , 1 ea
6.	<b>DISPENSADOR DE JABON LIQUIDO</b> Easy to use in restrooms, offices for to dispose hand cleaner or liquid soap. Available: , 1 ea

## SOLVENTS

1.	<b>SPECIAL 1560 PRESOLVENT</b> D-limonene based dielectric solvent, slow drying. Clean greases and dirties in most superficies. Biodegradable. Compatible with LAVADORA 9001 Available:, 5 gal pail, 55 gal drum
----	--

2.	<b>SPECIAL 1546 SOLVENT 46-D</b> Ecological dielectric solvent based in hidrotreated petroleum distillate. No content CFC nor chlorinated solvents. Compatible with LAVADORA 9001. Available: 5 gal pail, 55 gal drum
3.	<b>SPECIAL 1551 SOLVENT 77</b> Dielectric solvent with quick drying. Remove greases and every dirties. Available: 5 gal pail, 55 gal drum
4.	<b>SPECIAL 1565 SOLVENT 200</b> No flamable dielectric solvent and inmediative drying. Remove barnish, greases and every dirties. Available: 5 Gal pail, 55 gal drum

## COATINGS

1.	<b>SPECIAL 2024 PROTECTOR DE TARJETAS ELECTRONICAS</b> Dielectric coating for protect electronic cards againts dust, humidity, rust and corrosion. Dry quick Available: 12.0 oz aerosol.
2.	<b>SPECIAL 2606 BARNIZ AISLANTE ROJO</b> Dielectric coating for protect electrical motors. Leaves a hard coating resistant to oils, humidity and aggressive enviroments. Available: 13 oz aerosol, 1 gal jar.
3.	<b>SPECIAL 2616 ESMALTE AISLANTE ROJO</b> Dielectric coating for protect electrical motors. Leaves a decorative finish that protects agiants rust, humidity, corrosion in aggressive enviroments. Available: 13 oz aerosol, 1 gal jar.
4.	<b>SPECIAL 6005 PROTECTOR DE BORNES DE BATERIA</b> Airtight and waterproof coating protects against leaking, acid and corrosion. Provides a visible yellow insulation around the terminal or connection to guard against current loss and prolong life. Available: 13 oz aerosol
5.	<b>SPECIAL 1906 PINTURA DE ALTA TEMPERATURA</b> Flame and Heat Resistant coating uniquely formulated to produce a lasting finish that is resistant to surface temperatures up to 1200°F. Available: 1 gal jar.
6.	<b>SPECIAL 7008 GALVA BRIGHT</b> Galvanized Bright coating fortified with zinc for preventing rust and corrosion on ferrous metal surfaces. Available: 13 oz aerosol, 1 gal jar
7.	<b>SPECIAL 7007 GALVA COLD</b> Provides corrosion protection to ferrous metal surfaces as a long lived coating of practically pure Zinc comparable to that obtained by galvanization. Available: 13 oz, aerosol, 1 gal jar.
8.	<b>SPECIAL 0260 RUST CONVERTER</b> No require sand or remove the rust for to applied. Transform the rust surfaces into hard and resistant surfaces. Available: 1 gal jar, 5 gal pail
9.	<b>SPECIAL 5021 RUST INHIBITOR</b> Provides rust and corrosion barrier for short or long-term indoor storage. Available: 11oz aerosol, 1 gal jar, 5 gal pail

10.	<b>SPECIAL 6003 SUPRESOR DE CORROSION</b> Removable corrosion preventative. This penetrates and forms a film that is recommend for the most severe enviroments. Available: 10.5 oz aerosol, 1 gal jar, 5 gal pail
11.	<b>SPECIAL 2016 PROTECTOR SP</b> Dry rust inhibitor that protect pieces, equipments, machinery exposed to severe enviroments. Available: 5 gal jar
12.	<b>SPECIAL 1401 DEHULINE</b> Displacing water and moistureproofing of electrical equipment, electric motors, solenoids, ignition systems, electrical componentes and equipment. Available: 1 gal jar, 5 gal pail
13.	<b>SPECIAL 1503 A-30</b> Preservante wood that prevents the formation of fungus and bacteria, while the income of moths and pests in wooden poles. Avalaible: 5 gal pail.

**EPOXIES**

1.	<b>DEVCON 10240 5 MIN STEEL PUTTY</b> Fast-curing, steel-filled epoxy for dependable emergency repairs in less than one hour Available: 1 pound kit
2.	<b>DEVCON 10110 STEEL PUTTY</b> Metal-filled epoxy used for routine maintenance, production, and tooling applications in steel and iron. Available:, 1 pound kit
3.	<b>DEVCON 10270 STAINLESS STEEL PUTTY</b> Stainless steel-filled epoxy for patching, rebuilding, and repairing food processing equipment and stainless steel surfaces. Available: 1 pound kit
4.	<b>DEVCON 10260 BRONZE PUTTY</b> Bronze-filled epoxy putty for repairing bronze and brass bushings, shafts, castings, and equipments Available:, 1 pound kit
5.	<b>DEVCON 10610 ALUMINUM PUTTY</b> Aluminum-filled epoxy putty for repairing aluminum castings, machinery, and equipment Available: 1 pound kit
6.	<b>LPS 60159 STRONG STICK</b> It is a hand kneadable, ready to use stick for fast emergency repairs. It is excellent for stopping leaks and can permanently fill holes in metal, concrete, wood, fiberglass and ceramics. Available: 4 Oz
7.	<b>DEVCON 2400 PYRO PUTTY 2400</b> 1 component epoxy for seal and repair pieces, machinery and equipment exposed to high temperatures (up to 2000°F) Available: 1 pound kit

8.	<b>DEVCON 11765 BRUSHABLE CERAMIC</b> Low-viscosity, alumina-filled epoxy for smooth protective barriers against wear, abrasion, and chemical attack Available: 1 pound kit
9.	<b>DEVCON 11470 WEAR COMPOUND - FINE LOAD</b> Micro-high-alumina, high-density epoxy system for equipment protection Available: 1 pound kit
10.	<b>DEVCON 11490 WEAR COMPOUND - HIGH LOAD</b> High-alumina, epoxy system for outstanding abrasion resistance in processing equipment Available: 1 pound kit

## ADHESIVES

1.	<b>LOCTITE 401 ADHESIVO INSTANTANEO</b> Instant adhesive for porous and non-porous materials and plastics which are traditionally difficult to bond. Available: 20 g bottle,
2.	<b>LOCTITE 495 ADHESIVO INSTANTANEO DE BAJA VISCOSIDAD</b> Loctite Product 495 is a low viscosity general purpose ethyl cyanoacrylate adhesive. Bonding rubbers, metals and plastics Available: 28.4 g bottle
3.	<b>LOCTITE 242 TRABADOR DE TUERCAS</b> A general purpose, removable threadlocker for fasteners between 1/4" and 3/4" (6 to 20 mm) diameters. Controlled lubricity for accurate clamp loads. Parts can be separated using hand tools. Available: 50 ml bottle
4.	<b>LOCTITE 277 TRABADOR DE PERNOS USO PESADO</b> High strength for locking fasteners up to 36 mm (1½"). Prevents fasteners from loosening due to shock, heat or vibration. Protects threads from rust and corrosion. Removable with heat and hand tools. Available Worldwide. Available: 50 ml bottle
5.	<b>LOCTITE 271 TRABADOR DE ESPARRAGOS</b> High strength adhesive for fasteners up to 25mm (1") diameter. Available: 50 ml bottle
6.	<b>LOCTITE ADHESIVO DE CONEXIONES HIDRAULICAS</b> Used to lock and seal hydraulic and pneumatic fittings. Will not clog fine valves and orifices. Available: 50ml bottle
7.	<b>LOCTITE 609 FIJADOR DE RODAJES USO GENERAL</b> Retaining compound Ideal for gap distances up to 0.2mm (0.008"). Available: 50 ml bottle
8.	<b>LOCTITE 620 FIJADOR DE RODAJES ALTA FUERZA</b> Retaining compound ideal for gap filling capabilities up to 0.25mm (0.010"). Available: 50 ml bottle,
9.	<b>LOCTITE 518 FORMADOR DE EMPAQUETADURAS</b> Cures rapidly and develops medium strength. Ideal for on-the-spot and emergency repairs, or when a conventional gasket is out of stock. Seals to 149°C (300°F) and fills gaps to 0.25mm (0.010") Available: 50 ml bottle,

10.	<b>SPECIAL 2602 SP-40</b> Gasket maker with support up to 600°C and fill gap to 0.600mm. Available: 1 Kg jar,
11.	<b>AERVOE 8060 SAFETY SOLVENT</b> Fast drying, non flammable, no corrosive product dissolves grease fast leaving surfaces clean and dry with no residue ready to apply some adhesive or coating. Available: 20.0 oz aerosol,

**UTILITIES**

1.	<b>SPECIAL 1010 DETECTORES DE FISURAS</b> Inspection method that reveals cracks and other surface discontinuities in virtually any non porous material. Available: 36.0 oz kit,
2.	<b>SPECIAL 6030 AFLOJATODO</b> Penetrating oil loosens rust and corrosion. Reduces the tugging and poundind sometimes required to loosen screw and bolts. Available:11.2 oz aerosol
3.	<b>SPECIAL 1212 AZUL DE PRUSIA</b> Provide visual identification of point of interference in bearings, shafts and housings, wich will reduce heat and wear resulting in a longer life of the component. Available: 12.0 oz aerosol,
4.	<b>AERVOE 8079 ANTIDESLIZANTE DE FAJAS</b> Prevents belt slippage and glazing for better motor efficiency and longer belt life. Available: 12.0 oz aerosol,
5.	<b>HUSKEY 20209 TFX-10</b> No toxic, non drying thread sealing compund engineered to produce a leak-proof seal in plastic, aluminum, stainless steel, iron lines against water, natural gas, LPG, gasoline and other services. Available: , 0.5 Lb jar
6.	<b>SPECIAL 1520 ANTI SPATTER</b> Eliminates unsightly spatter marks and improves the appearance of your finished products. Available: 14 oz aerosol

**BRANIF PERU SAC**  
**RUC: 20509693634**

**DATA BANK:**

- SCOTIABANK S/. 0837334
- SCOTIABANK US\$ 2415551
- BCP S/. 191-1474269-0-04
- BCP US\$ 194-1544730-1-42